

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 00-1123-H)

In application of:)	
Cunningham, et al.)	
)	Examiner: Chin
U.S. Patent No. 6,951,715)	
)	Group Art Unit: 1641
Filed: January 28, 2002)	
)	Conf. No. 4870
For: Optical Detection of Label-Free)	
Biomolecular Interactions Using)	
Microreplicated Plastic Sensor Elements)	

REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE
UNDER 37 CFR § 1.322

Commissioner for Patents
Office of Patent Publication
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Patentees respectfully request correction of a misspelling of the term “colorimetric” in the above-mentioned patent. This misspelling was not present in the text of the specification as filed, and appears to be an Office error. Form PTO/SB/44, which specifies the location of the misspelling, is attached.

It is believed that no fee is due in connection with this filing; however, if a fee is due the Commissioner is authorized to charge our Deposit Account 13-2490.

Respectfully submitted,

Date: August 7, 2008

/Lisa M.W. Hillman/
Lisa M.W. Hillman, Ph.D
Registration No. 43,673